## **STATEMENT**

OF

**WORK** 

(SOW)

# FOR THE REBUILD OF THE AMPHIBIOUS ASSAULT VEHICLE (AAV) PTO SHIPPING AND STORAGE

**CONTAINER** 

NSN 8145-00-490-6207

STATEMENT OF WORK FOR THE REBUILD OF THE (AAV) PTO SHIPPING AND STORAGE CONTAINER NSN 8145-00-490-6207

### TABLE OF CONTENTS

Section	n/Paragraph	Page
• •	acapp	
1.0	SCOPE	I
1.1	Background	1
2.0	APPLICABLE DOCUMENTS	1
2.1	Military Standards	1
2.2	Other Government Documentation and Publications	1
2.3	Industry Standards	2
3.0	REQUIREMENTS	2
3.1	General Tasks	2
3.2	Detailed Tasks	3
3.2.1	Phase I-Rebuild	3
3.2.2	Phase II-Inspection, Testing, and, Acceptance	3
3.2.3	Phase III-Packaging, Handling, Storage, and Transportation (PHS&T)	3
3.3	Configuration Management	3
3.4	Government Furnished Equipment (GFE)/	4
	Government Furnished Materiel (GFM)	
3.5	Contractor Furnished Materiel (CFM)	4
3.6	Quality Assurance Provisions	4
4.0	REPORTS	5

# STATEMENT OF WORK FOR THE REBUILD OF THE (AAV) PTO SHIPPING AND STORAGE CONTAINER NSN 8145-00-490-6207

- 1.0 SCOPE. This Statement of Work (SOW), along with Engineering Drawing 2588607, CAGE 80064, and TM 8F152B-25&P/A establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor in the rebuild of the Assault Amphibious Vehicle (AAV) PTO, Shipping and Storage Container, NSN 8145-00-490-6207, hereafter referred to as the Container. This document contains minimum requirements to restore the Container to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitations or restrictions including material with more than six months shelf-life remaining.
- 1.1 <u>BACKGROUND</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents herein form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Standards

MIL-STD-129 DoD Standard Practice: Military Marking for

Shipment and Storage

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

DoD 4160.21-M Defense Materiel Disposition Manual

TM 2350-45 DMA Standard Procedures

TM 8F152B-25&P/A Power Plant Assembly Assault Amphibious Vehicle

7A1 Family of Vehicles and RAM/RS

Engineering Drawing 2588607 Container, Shipping and Storage, Power Take-Off

CAGE 80064 (PTO)

DoD 4000.25-1-M Military Standard Requisitioning and Issue Procedures

(MILSTRIP)

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/IS0/ASQC Q9001-2000 Quality Management Systems-Requirements

**Industry Standards (For Guidance)** 

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or on the internet at <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by the contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Command, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 566-1A, 814 Radford Blvd., STE 20302, Albany, Georgia, 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

#### 3.0 REQUIREMENTS

- 3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:
- a. Provide materiel, labor, facilities, and services necessary to troubleshoot, test, diagnose, engineer, integrate, install, rebuild, and calibrate as required to make the Container fully operational. Upon completion of repair/rebuild, the Container shall be Condition Code "A."
- b. Conduct final-on-site testing, which may be witnessed by Marine Corps Systems Command (MCSC) (AAV), Albany, Georgia representative.
- c. The contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the Container as specified in Engineering Drawing 2588607, CAGE 80064, and TM 8F152B-25&P/A, Chapter 4.
- d. Ensure the Container meets the configuration of Engineering Drawings 2588607, CAGE 80064.

- e. Economical replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. All parts shall be disposed of in accordance with DoD 4160.21-M.
- 3.2 <u>Detailed Tasks</u>. The following tasks describe the different phases for the rebuild of the Container.
- 3.2.1 Phase I Rebuild. The contractor shall receive the Container for rebuild. The contractor shall then disassemble the Container into components and conduct the rebuild process. The contractor shall rebuild components in accordance with the requirements in this SOW. The contractor shall be responsible for supplying all equipment, tools, test equipment, and materiels to conduct this effort. The contractor shall be responsible for the integration, and assembly of all components. The configuration identification for the Container is defined by the specifications annotated on current revision level of Engineering Drawing 2588607, CAGE 80064. A Rebuild Data Plate shall be installed in the center in the rear below the item identification plate. The rebuild data plate shall contain the following (REBUILT BY:) (INSPECTED BY:) and (DATE REBUILT:). The plate shall be no more than .008" in thickness, 2 ¾" in length and ¾" in height.
- 3.2.2 <u>Phase II Inspection, Testing, and Acceptance</u>. Inspection, testing, and acceptance of the Container shall be conducted in accordance with ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements. The contractor shall correct any deficiencies discovered.

#### 3.2.3 Phase III - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The contractor shall be responsible for preservation and packaging of item(s) being rebuilt under the terms of this statement of work. Items scheduled long-term storage or shipment to overseas destinations shall be in accordance with Level "A" requirements of MIL-STD 2073-1D. Items scheduled for domestic shipment for immediate use or short-term storage shall be to Level "B" requirements.
  - b. Marking for shipping and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with shipping address (es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps shall be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

#### 3.3 Configuration Management

a. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If deemed necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing RFDs.

- b. The creation and submission of RFDs shall be accomplished using MEARS CREATE software, which resides at a secure web site, <a href="https://mears1.redstone.army.mil">https://mears1.redstone.army.mil</a>. For the purpose of gaining access to the web site, the contractor shall request user-id and password privileges from the Requiring Office identified in Block 6 of the applicable Contract Data Requirements List. The contractor shall direct technical or functional questions concerning usage of MEARS CREATE software to the Requiring Office for guidance. The contractor shall notify the Requiring Office by electronic mail when completed MEARS RFDs are ready for formal submission.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 581-1B) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibility for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD 1348 to Materiel and Distribution Management Department, Distribution Management Branch, Management Control Activity (Code 581-1B) 814 Radford Blvd., STE 20320, Albany GA 31704-0320, or faxing to commercial telephone number (229) 639-5498 or DSN 567-5498 a copy of the DD1348.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiels as required in the performance of this SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to the contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

#### 3.6 Quality Assurance Provisions

The performance of the contractor's quality of work performed, material provided and documents written shall be subject to in-process review and inspection by the MCSC (AAV), Albany, Georgia representative during contract performance. Inspection may be accomplished during normal Contractor's working hours. The MCSC (AAV), Albany, GA representative requires at a minimum, two weeks notice of acceptance tests to allow for sufficient time for the MCSC (AAV), Albany, Georgia representative to witness the test. Inspection by the MCSC (AAV), Albany, Georgia representative of acceptance tests, materiels and associated list furnished hereunder does not relieve the contractor from any responsibility regarding defects or other failures to meet the SOW requirements which may be disclosed prior to final acceptance.

The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems — Requirements. The contractor's work shall be subject to in-process reviews and inspections for compliance with these procedures and standards by the MCSC (AAV), Albany, Georgia representative. Noncompliance with these quality assurance procedures resulting in degraded quality of work may result in a stop-work order requiring action by the contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination. Notwithstanding such inspection, it shall be the contractor's responsibility to ensure that the entire system meets the performance requirements of this SOW.

- 4.0 <u>REPORTS</u>. All report deliverables shall be submitted in hard copy to Marine Corps Systems Command, Attn: (AAV), 814 Radford Blvd., STE 20343, Albany Georgia 31704-0343, unless directed otherwise in a Contract Data Requirements List
- 4.1 <u>Monthly Production Status Report</u>. A Monthly Production Status Report shall be submitted summarizing the progress and status of the Container.

#### **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No, listed in Block E.

A. CONTRACT L	INE ITEM NO.	B. EXHI	ЗІТ	C. CA	TEGORY:				7.7.			
D. SYSTEM/ITEM				TDP.	TM		OTHER	X_				
	M ing/Storage Conta	iner	E. CONTRACT	/PR NO	).	F. CON	TRACTOR					1
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		I	· · · · · · · · · · · · · · · · · · ·		3. SUBTIT	LE					17. PRICE GROUP
A001	I	Productio	n Status Repor	rt		·						
	Acquisition Document No.)	Toductio	5. CONTRACT REF		<del>.</del> .		6. REQUIR	ING OFFICE				18. ESTIMATED
DI-MGMT-	•			para	4.1		o. Kedom	PMM143	(AAV	(2		TOTAL PRICE
	9. DIST STATEMENT	10. FREQU	L		OF FIRST SUB	MISSION	14.	DISTRIBUT	·			
LT	REQUIRED	M	ITHLY	,	See Block	16			· · · · · · · · · · · · · · · · · · ·	. COPIES	;	
8. APP CODE		11. AS OF I				NT	a. AD	DRESSEE		Fir		
	A			SORM	IISSION				Draft	Reg	Repro	
16. REMARKS Block 4: Contr	actor Format Aut	hiorized	Delete the fol	lowing paragraphs as		28	MCSC (AA	(AAVS)	0	0	1	ļ i
thry do not app	actor Format Autholy to the deliveral	ble. 10.1	10.23 10.25 1	0.26 10	0.29.	. us	Albany	GA .				
In Paragraph 1	0.21d use job ord	er numbe	er or contract i	umber	·_			(584-2)	0	1	0	
	-						Albany	GA				
Master Work S	0.24 and 10.27 re Schedule Line Nur	nber.	LIN WIIII MI	ZIN UI .	IVI W SLIN.							
Blocks 10 and	12. The report shan shall be 30 days	all be sub	mitted on the	tenth o	f each mon	th. The		F				i
The Production	n Status Report sha manRE@mcsc. us	all be tra	nsmitted via E	-mail to	o the follow	ving						
			•		gcom. usme	.11111						
Distribution Sta	atement A: Appro	ved for I	ublic Release	•								
												İ
												I
								*****				
												1
												İ
								****				1
							-					 
							1					  -
												i
												, Î
									*****			, [
							ļ					
												d
							45 7071					, İ
G.\PREPARED E	3 <del>Y</del>		H. DATE	1	APPROVE	D BY	15. TOTAL	<del></del>	J. <b>DA</b>	<u>l</u>	1	, !
	H. DATE I. APPROVED BY  2.20-04 RE. Hit								ľ		, 1	
1/ab	KG		J.20-6	14	K.E.,	4°77	torice.		2/5	23/09		1

#### **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the coffection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for

D. SYSTEM/ITEM Container, S & S, AAV PTO				C. CATEGORY:  TDP TM OTHER X						: 	
			E. CONTRACT/PR	L.,	ACTOR						
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		I		3. SUBTITLE					17. PRICE GROU	
в001		quest For	Deviation (R		Configuration Ma	anageme	ent				
				5. CONTRACT REFERENCE			6. REQUIRING OFFICE				
7. DD 250 REQ	CMAN-80640C	10 EDECHIEN	SOW Para 3.3			MCLC (566)				41	
7. DD 250 KEU	REQUIRED	IU. FREGUENI	A/R		U AL	14. DISTRIBUTION		b. COPIES			
8. APP CODE	-	11. AS OF DAT		13. DATE OF SUBSEQUENT		a. ADDRESSEE		1	nal		
N/A	A			SUBMISSION			Draft	Reg	Repro		
16. REMARKS						MCSC (AAVS)	0	0	0		
Blocks 10 & 1 conforming maconfiguration of	2: RFDs shall be aterials or utilize plocumentation.	submitte processes	ed to obtain au which do not	thorization to deli meet prescribed	iver non-	MCLC (566-1)	0	1	0	:	
MEARS RFD (.pdf) formatte	text files shall be ed software produ	created u	using MICROS	SOFT (.doc) or A	DOBE					. i 	
MEARS RFD formatted software 600 dpi.	accompanying fig ware or CCITT G	gures shal roup 4 gr	ll be created us raphic file with	sing MICROSOF n a minimum den	T sity of					  -  -  -	
Point of contact at DSN 567-64	ct for MEARS CR 25 or smithdc@le	REATE que ogcom.us	uestion may be smc.mil.	e directed to Dou	g Smith					!   	
RFD submission	on notification sha	all be sen	t to smithdc@l	logcom.usmc.mil						İ	
Distribution St unlimited.	atement A: Appr	roved for	public release	, distribution is							
										1	
										; 	
										i I	
							-				
						15. TOTAL	- 0	1	0	!	
G. PREPARED BY			H. DATE	I. APPROVED B	Y		J. DAT	E		!	
Dans "	5		8 Jan	04 25	1/1	Hman	ĺ	Fehr	14		
DD FORM 1423-	1, AUG 96 (EG)		PRI	EVIOUS EDITION MAY BE	USED	/	Page	olf	Pages	•	